

## **IMMA FBT**


### **MULTI-FUNCTION FLATBED SEMI-TRAILERS**



- \* Model: FBT Series
- \* Multi-Purpose Flatbed Semi-Trailer
- \* Reinforced Body for Tropical, Desert and Arctic Conditions
- \* EEC Normed as per EU Norms
- \* Size (L x W): 12.400 x 2.550 mm (Up to L: 13.900mm)
- \* Chassis:
  - Heavy duty resisting steel with I crossed profile chassis
  - ST52 A1 Class 6 mm roll-formed internal steel
  - ST52 A1 Class 14mm rod
- \* Axles:
  - 2 or 3 units, Heavy Duty type
  - 12, 14 or 16 tons/axle payload,
  - 140mm x 140mm square type
  - Spring/mechanical for African conditions,
  - Asbestos free brakes,
  - Supported shock absorbers,
  - Z Type scissors,
  - Double tired
- \* 2" and 3,5" King Mile (42 Cr-4 Mo) as per SAE/DIN standards,




- \* WABCO EBS,
- \* Landing Legs: 2 pcs x 24 tons
- \* Tires & Rims: 4+1 to 12+1 pcs all steel
- \* Phosphate coated sandblasted double layer epoxy interlined acrylic painted, as per RAL7037 grey color
- \* 24 V Electric installation as per EU norms,
- \* Accessories:
  - Rear bumper: Folding, pressed cage, made of ST-37 steel,
  - Mudguards
  - Food box
  - Toolbox
  - Fire extinguisher box
  - Step tyre point



IMMA FBT Semi-Trailers can be equipped as:

- DRY GOOD: Steel patterned floor for dry good carriage
- CONTAINER: 8 x Container locks (2x20' or 1x40'), ISO type
- TIMBER: Timber Apparatus: 2x6 pcs poles around the side, removable, 1.000 mm length, pole holes connected to strengthened side chassis of 8mm



Courtesy Drawing of IMMA FBT-MP50/2

