

IMMA LBT SERIES LOW-BED SEMI-TRAILERS



- Models: LBT60 (LBT-40 to LBT-120)
- Loading weight: 60 tons (40tons to 120 tons)
- Goose-head design
- Total length: 19.400 mm
- Loading platform: 14.200 mm
- Height: 1.150 mm (Can be decreased down to 1.050 mm via 19" wheels)
- Goose-head length: 4.000 mm
- Width: 3.000 mm
- Internal chassis width: 450 mm
- Counters: 270 mm
- King pin: 2" or 3½"
- Surface: Trimmed 5 or 6 mm steel or wood



- Axles: 4 x Reverse tandem type spring supported
- 16+1 wheels with 295/60R 22,5 or 275/70R 22,5 Wheels
- OMS Third leg
- IPN 450, ST-44 mono-block chassis (115 kg/m),
- IPN 360 ST-44 mono-block sides (60 kg/m),
- IPN 400 ST-44 mono-block counters (40 kg/m),
- ST-44 steel body: 4 mm
- Wabco EBS
- Hydraulic tilting rump with 3.500 mm length
- 2 lays of epoxy primer coated tipper body after sand blasting and undercoating lay.
- 24 v Electricity installation as per EU norms.



IMMA Lowbed Semi-Trailers Configurator

- Model: LBT Series
- Capacities: 40t to 170 tons (Or any customized solution)

Model Configuration:		
<u>Type</u>	<u>Capacity (t) ¹</u>	<u>Axles Make</u>
LBT – Lowbed Semi Trailers	40	L : Local Make Axle (Cradle Type Spring) E: BPW Or SAF Axle
	50	
	60	
	80	
	100	
	120	
	150	
	170	

¹ Any custom solutions also available

Wide Range of Options :

